App F IX-4

Previous References (1944 mc) mc File No 40-44
Serial Nos 7, 8

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos Two 10

Part B for Oct 44

SUBJECT

Estimate for Rs 10,000/- for Constructing a Balancing tank of 10,000 gallons and a Sumptank of 5000 gallons Capacity in Mysore City for improving Water Supply —

L- 3604-6

19th Oct 44

Sanctions

to

The D P H
The Pdt City mc cl Mysore
The Comptroller to Govt

Letter No L53-343 Dy 14-8 44 from the Dr of Health forwarding for sanction an estimate for Rs10,000/- for constructing a balancing tank of 10,000 gallons & a Sump tank of 5000 gallons capacity in Mysore city for improving the water supply.

1) In Govt No L 1054-6/ML86-42-15 Dy 4-5-1943 sanction was accorded for a scheme costing about Rs10,000/- for putting up a masonry tank with booster Pumps with a separate pipe line for improving the water supply to the area in the Mission Hospital Road in Mysore city

2) The Dept has forwarded for sanction an estimate for Rs10,000/- for the above scheme

3) Submitted with a draft Govt for appl.

4) may be approved

5) Mayilee Executive Engineer 3.9.44

Under Secy to Govt 3/-8-44

6) Submitted 10.10.44

Under Secy to Govt 11-10-44

7) Issued

11.10.44

OFFICE OF THE MINISTER FOR L S G & P H
Date 11.9.44
No 1915

To The Dr of P Health
The Dpty, cof mech, Mysore
The Comptroller
NO R 3604-6 Dy 19-10-44
sanctions the estimates & directs
that the expenditure be met out
of the funds of the Mysore cif mech
Letter no Mech PR III/42-43 Dy 30-11-44
from the ~~Secretary~~, Dpty, cof mech,
Mysore, requesting that 1/3 of the cost
may be ordered to be refunded etc
8) The Dr of P. Health will
also be consulted in the matter & ~~of~~ approp
WMS 7/12 9) A ~~will~~ be done if appd
Law 7/12
10) Ans 6/12
11) Submitted with a draft letter for approval
WMS 8/12 12) Issued
To The Dr of P Health
no R 5812 Dy 14-12-44
Calls for his opinion
Letter no C18-38/W-S/44-45 Dy 5-3-45 from the Dr of Public Health furnishing his opinion in the matter
13) The Dr of Public Health states that a refund does not seem to be

justified as the question arises only" in case of operation & maintenance charges & not in case of original works. It is also stated that all works of an original nature are to be financed by the Mysore City Municipality or by Govt as may be decided upon by Govt in each case, the Govt contribution being met out of the Town Improvt Grants

14) Submit for orders.

UKB 26/3

15) Pl put up the G.O. of 1924 regulating the proportion in which charges in respect of roads & drains are met by the Municipality & the Govt for my perusal

"R" 16) Submit A copy of Govt No R 42858/Misc 84-26-6 dt 4/7-1-1927 fixing the proportion of charges to be payable by the Municipality & the Govt is forthcoming. Kind reference is invited to item No 7(1) on page 2 of the Govt

UKB 28/3

17) Pl put up a brief note on the history of the case

for 31/3/27

18) A scheme costing about Rs 10,000/- for putting up a masonry tank with booster pump with a separate pipe line for improving the water supply to the area in the Mission Hospital Road in the Mysore city was sanctioned in Govt Lr 10754-6/Mnl 80-42-15 Dy 4-5-42

19) In conformity with the above Govt the Dr of P Health submitted an estimate for Rs 10,000/- for constructing a balancing tank of 10,000 gallons capacity & a pump tank of 5000 gallons capacity & the same was sanctioned in Govt Lr 3604-6 Mnl 40-44-8 Dy 19-10-44. It was "R" also ordered that the cost in this behalf would be met from out of the funds of the Mysore city Mnl cl.

20) The Dpty city Mnl cl, Mysore has requested that 1/3 of the cost of the above estimate may be ordered to be refunded as the whole amount of Rs 10,000 was paid by the Mn on the ground that the cost of the work has to be met by the Mnl cl & the Govt in the proportion of two-thirds & one third respectively as laid down in Govt Lr 4285-8/Mnl 84-26-6 "R" Dy 4/7-1-1929.

21) The Dr of P Health who was consulted in the matter has stated that a refund does not seem to be justified as the question arises only in case of operation & maintenance charges & not in the case of original works. He has also stated that all works of an original nature are to be financed by the Municipality or by Govt as may be decided upon by Govt in each case, the Govt contribution being met from out of the Town Improvements Grants subject to para 17 supra

UKS 4/4/21) As this is a work of capital nature, the entire expenditure has to be met by the Municipality and the portion if need be paid by the Govt will be paid, Municipality should therefore be informed that, in view of what is stated above, the question of refund does not arise & the letter accordingly is to be applied

Law Secy for Secy-

5641/ Constructing of a balancing tank of 100000 gallons capacity & a sump tank of 5000 gallons for impounding the water supply of Ujjain city

(4) As to stated why the D.P.H.

the entire cost of works of
capital nature has to be
met by the Municipal
council The present demand
may be rejected as
no refund can be granted

OFFICE OF
FOR PUBLIC HEALTH & LAW
No 4286
Date 7 Dec 45

Dec 1945

Cus
6/12/45
pm

I think the principle of Water
Capital Expenditure as drainage & water
works should be generally shared between
municipal bodies should before the
principle is determined I would like
to know at what stage the works carried
by the P.H. Dept & whether they agree
with the works I determined at a
recent Conference at Nagpur as
being absolutely necessary

9/12
pm KWS

9/12/45
pm

5841
L

24
Send both the draft letter for approval

12/5

To- The Chief Engineer
L 11264 dt 21-5-45-

Calls for information in regard to the stage at which the question stands

From the Chief Engr for Govt
2204/s dt 1-6-45-

Sus A

States that the comprehensive Estimate for Rs 6.6 lakhs, which includes the construction of the balancing and Sump Tanks is awaiting Sanction of Govt

2. The Chief Engineer has stated that these works (i.e construction of the Balancing and Sump Tanks) are included in the comprehensive Estimate for Rs 6.64 lakhs, for effecting immediate improvements to the water supply at Tripore Refer para 23 of the notes during

7/6

40-44-7 1232/L

GOVERNMENT OF MYSORE

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE

No C 53-343 BANGALORE Date Aug.14,1944

To The Secretary to Government, Law Department, Bangalore

Estimate for constructing a balancing tank of 10000 gallons and a sump tank of 5000 gallons capacity

Sir,

Adverting to Government Order No I 10754-6/M1 80-42-19 dated 4th May 1943 sanctioning a lumpsum of Rs 10,000 for a masonry tank etc, I have the honour to enclose herewith the detailed estimate with report and request you to be so good as to obtain and convey sanction of Government to the same

I have the honour to be
Sir,
Your most obedient servant

Director of Public Health

G R S App F VI—G 2]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *194*

Date of issue 19-10-1944

Signed by Sw G R Rao

May this be—

(i) printed?

(ii) treated as a Standing Order?

(iii) published in the Gazette English Part?

(iv) translated?

(v) placed at the disposal of the Press?

(vi) published in the Gazette Kannada Part?

Section ML

File No 40-44

Serial No 8

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Go No L 10754-6/ML 80-42. 15 Dy 4 5-43 sanctioning, among other things, a scheme costing about Rs 10,000 for putting up a masonry tank with booster pumps with a separate pipe line for improving the water supply to the area in the Mission Hospital Road in Mysore city

2 Letter No C 53-343 Dy 14-8 44 from the Dir of Health forwarding in conformity with the Go read above, for sanction an estimate

for Rs 10,000/- for Constructing
a balancing tank of 10,000
gallons Capacity & a Sump tank of
5000 gallons capacity for
improving the water Supply
in the Bungoose city

Order No L 3604-6/Mul40-44-8
dt 19 10/44

The estimate for Rs 10,000/-
is sanctioned The expenditure
will be met from the funds of the Municipal Mill

Secy to Govt
Cus & Jt Secy
11/8/44
Law Deptt

To The Dir of P Health (for R)
The Dist, Civ Med, Mysore
The Comptroller

List of Enclosures

Copied by

Examined by

WD 04162—GPB—60 000—23 10 41

EY

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

R E A D

Government Order No L 10754-6R/M1 80-42-15 dated the 4th May 1943 sanctioning, among other things, a scheme costing about Rs.10,000/- for putting up a masonry tank with booster pump with a separate pipe line for improving the water supply to the area in the Mission Hospital Road in Mysore City

2 Letter No C 53-343 dated the 14th August 1944 from the Director of Public Health forwarding in conformity with the Government Order read above, for sanction an estimate for Rs.10,000/- for constructing a balancing tank of 10,000 gallons capacity and a Sump tank of 5000 gallons capacity for improving the water supply in the Mysore City

O R D E R No L 3604-6/M1 40-44-8

Bangalore Dated 9th October 1944

The estimate for Rs.10,000/- is sanctioned The expenditure will be met out of the funds of the Mysore City Municipal Council

for Secretary to Government,
Law Department

To - The Director of Public Health (with records)
" President, City Municipal Council, Mysore
" Comptroller to Government of Mysore

Cpg/4

3816/1

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

No M6 PR 111/42-43
Encl one

Date 30th November 1944

- 4 DEC 1944

From

R RAMACHANDRA RAO BHOMBORE Esq B A
PRESIDENT CITY MUNICIPAL COUNCIL
MYSORE

To

C Narayanaswami Naidu, Esq , B A , B L ,
Legal Remembrancer and Secretary to Governme
Law Department, BANGALORE

Sir,

With reference to Government Order No L 3604-6/M1 40-44-8 dated 19th October 1944 sanctioning an estimate for Rs 10,000/- for constructing a balancing tank of 10,000 gallons capacity and a sump tank of 5,000 gallons capacity and directing to meet the cost out of the funds of this Municipality, I have the honour to request you kindly to obtain sanction of Government to meet one third of the quota out of State Revenues

A copy of Council Resolution No 328 dated 31st October 1944 on the above subject is enclosed Since the amount has already been paid by cheque No N 412865 dated 10th June 1943 sent under cover of this office letter No M6 P R 111/42-43 dated 9th June 1943, ⅓ quota may kindly be ordered to be refunded

I have the honour to be,
Sir,
Your most obedient servant,

PRESIDENT

Proceedings of the Adjourned Ordinary General Meeting of the Mysore City Municipal Council, held on Tuesday the 31st October 1944 at 5 30 P M

=====

PRESENT

R Ramachandra Rao Bhombore, Esq , B A , President
2 B Narayanaswami, Esq , B A , B L ,
3 A Krishnamurthi Rao, Esq ,
4 P Sitaramiah, Esq , B A , B L ,
5 M N Jois, Esq , B A ,
6 A N Suryanarayana Rao, Esq ,
7 T Narasimha Iyengar, Esq , B A , B L ,
8 K S Satyanarayana Rao, Esq ,
9 G R Rangaswamiah, Esq ,
10 M V Venkataramiah, Esq ,
11 E P Nanjappa, Esq ,
12 V N Dasappa, Esq ,
13 Chowdiah, Esq ,
14 T Venkataramaniah, Esq ,
15 Mrs W H Theobald

ABSENT

16 Agaram Rangiah, Esq ,
17 Sreemathi Yeshodhara Dasappa,
18 T Mariappa, Esq , B A , LL B ,
19 T S Chandrasekhara Gowda, Esq ,
20 U L Ramachandra Rao, esq ,
21 Patnam Sreenivasa Setty, Esq ,
22 Dr A V Ranga Rao,
23 F C Devaraja Urs, Esq ,
24 K Siddiah, Esq ,
25 M S Nanjappa, Esq ,
26 G Jnardana Naidu, Esq ,
27 H Thammiah, Esq ,
28 M R C Basappa, Esq ,
29 Gulam Ahamed Khan, Esq ,
30 T S Ali Khan, Esq ,
31 Mohamad Sait, Esq ,

XXX XXX XXX

328 Government Order No L 3604-6/M1 40-44-8 dated 19th October 1944 sanctioning an estimate for Rs 10,000/- for constructing a balancing tank of 10,000 gallons capacity and a sump tank of 5,000 gallons capacity for improving the water supply in Mysore city directing the cost to be met out of the funds of the Municipal Council.

"RECORDED WITH THE OBSERVATION THAT THE GOVERNMENT BE REQUESTED TO KINDLY GIVE 1/3 OF THE QUOTA".

Sd/ R Ramachandra Rao Bhombore,
President

XXX XXX XXX

"Copy"

President

DVS)

L-5817 To The Dr of P Health 14/12/44

Sir, In continuation of EO NO L 3604-6/ME 40-44-8 Dt 19-10-44 sanctioning an estimate for Rs 10,000/- for Constructing a balancing tank of 10,000 gallons capacity & a Sump tank of 500 gallons capacity for improving the water Supply in the Hospose cuff; I am directed to forward herewith a copy of letter NO 1166 PR III/42-43 Dt 30-11-44 received from the Pol, engr mk el requesting that 1/3 of the cost in this behalf may be ordered to be refunded ~~the~~ and to request you to be so good as to furnish your opinion in the matter

The source for meeting this portion of the expenditure may also be

Kindly intimate if in case a refund
has to be granted to
his Excellency's Court

I have etc

Sd
Secretary to Court
Khas Rawdhat

No C18-38/W 5/44 45 — GOVERNMENT OF MYSORE
Encl
PUBLIC
DEPARTMENT OF/ HEALTH

5841

D P P H H (M d) C P & (Ed) M (L d) H (C mb) D t f H ltl

BUREAU OF MATERNITY CHILD AND OTHER WELFARE WORKS

Vani Vilas Centre Vani Vilas Road

Bangalore (S India) dated March 4, 1945

To

The Secret ry to Government,
Law Department, Bang lore

SIR

Constructing balancing tank of 10,000/- gallons capacity and a sump tank of 5,000 gallons capacity for improving the water supply in Mysore City for Rs 10,000/-

With reference to your letter No L 5872 dated 14th December 1944, calling for opinion regarding the refund of 1/6 of the cost to the Mysore municipal Council, I have the honour to state that a refund does not seem to be justified as the question arises only in case of operation and maintenance charges and not in case of original works as the above

All works of an original nature are to be financed by the Mysore Municipality or by Government as may be decided by Government in each case, the Government contribution being met out of the Town Improvement Grants

I have the honour to be,

Sir,

Your most obedient servant,

DIRECTOR OF PUBLIC HEALTH

Appendix F G—1]

SUBJECT

Diary No of letter replied to

General and Revenue Secretrriat

the 194

Date of issue 21/5/1945

Signed by Mr Sharma

× copy enclosed for reng repe

List of enclosures

Copied by

Examined by

Section

File No

Serial No

No L-11264

To

The Chief Engineer for Irrigation

Sir

I am directed to invite reference to letter No C18-38/40-S/44-45 Dy 5/3/45 addressed to the Secy to Govt Law Deptt by the Dy D Health in the matter of constructing a balancing tank of 10,000 gallons capacity & a sump tank of 500 gallons capacity for improving the water supply in the Dispensary, and to request you to state in what

WD 0744—G PB—15 000—30 10-44

the stage at which construction of the said tanks work in questions stands at present ~~I whether the same are agreeable to the construction of Completed~~

An early reply is requested

Yours etc
for Secy to Govt
Law Deptt

whether this is in any way with agreed upon to be modified at the meeting held on 9-2-45 at Jyoti under the presidency of the Minister for P.W.D. for effecting more improvements to the water supply arrangements

C F No 45]

GOVERNMENT OF MYSORE

OFFICE OF THE CHIEF ENGINEER FOR IRRIGATION BANGALORE

T I & m ph 2206/S

No
Encls

Date 1-6-1945

To

The Secretary to Government,
Law Department
Bangalore

Sir

Subject - IMPROVEMENTS TO MYSORE CITY WATER SUPPLY

***

With reference to your letter No L 11264 dated 21-5-44, I have the honour to inform you that a comprehensive estimate amounting to Rs 6,64,000/- for works recommended by the special committee, in connection with the above has been forwarded to you with this office letter No 2147/S dated 24-5-1944 for obtaining early sanction of Government, which covers the construction of balancing and sump - tanks referred to in your letter under advertance

I have the honour to be
Sir,
Your most obedient servant,

BVH 31-5

CHIEF ENGINEER FOR IRRIGATION